



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## Local flora notes—VII\*

NORMAN TAYLOR

In order to hasten the completion of these notes it is planned to publish them monthly, either in *Torreya* or the *BULLETIN*. For the same reason they will hereafter be in tabulated form.

### LORANTHACEAE

<i>Species</i>	<i>Specimens wanted from</i>
<i>Razoumofskya pusilla</i> (Peck) Kuntze.	Catskill region, northern N. J. and Pa.
<i>Phoradendron flavescens</i> (Pursh) Nutt.	Central and northern edge of pine-barrens in N. J.

### ARISTOLOCHACEAE

<i>Asarum reflexum</i> Bicknell.	Anywhere in the range.†
----------------------------------	-------------------------

### POLYGONACEAE

<i>Rumex hastatulus</i> Muhl.	New Jersey.
<i>Rumex salicifolius</i> Weinm.	Anywhere in the range.
<i>Rumex verticillatus</i> L.	N. Y. and Pa.
<i>Rumex sanguineus</i> L.	Near any city. Is it established?
<i>Rumex pulcher</i> L.	Near any city. Is it established?
<i>Rumex conglomeratus</i> Murr.	Near any city. Is it established?
<i>Polygonum amphibium</i> L.	Northern N. Y. and Pa.
<i>Polygonum arifolium</i> L.	Northern N. Y., N. J., and Pa.
<i>Polygonum littorale</i> Link.	S. I. and L. I., also N. J. coast.

\*Continued from *Torreya* 10: 224-228. O 1910.

†The local flora range as prescribed by the Club's Preliminary Catalogue of 1888 is as follows: All of the state of Connecticut; Long Island; in New York the counties bordering the Hudson River up to and including Columbia and Greene, also Sullivan and Delaware counties; all of New Jersey; and Pike, Wayne, Monroe, Lackawanna, Luzerne, Northampton, Lehigh, Carbon, Bucks, Berks, Schuylkill, Montgomery, Philadelphia, Delaware, and Chester counties in Pennsylvania.

<i>Species</i>	<i>Specimens wanted from</i>
<i>Polygonum dumetorum</i> L.	Anywhere in the range.
<i>Polygonum Hartwrightii</i> A. Gray.	Central and southern N. J. and southeastern Pa.
<i>Polygonum Rayi</i> Babing.	Along any of the coasts.

## CHENOPODIACEAE

<i>Chenopodium Boscianum</i> Moq.	N. Y. and N. J.
<i>Salicornia Bigelovii</i> Torr.	Coast of N. J.

## AMARANTACEAE

<i>Amaranthus pumilus</i> Raf.	Coast of N. J.
<i>Cladanthrix lanuginosa</i> Nutt.	Anywhere in the range.

## PORTULACACEAE

<i>Claytonia caroliniana</i> Michx.	Northern N. J. and Pa.
-------------------------------------	------------------------

## CARYOPHYLLACEAE

<i>Arenaria leptoclados</i> Guss.	Along any of the coasts.
<i>Arenaria groenlandica</i> (Retz.) Spreng.	Northern N. Y., N. J., and Pa.
<i>Arenaria Michauxii</i> (Fenzl) Hook.	N. Y. and northern N. J.
<i>Ammodenia peploides</i> (L.) Rupr.	Coasts of Conn., L. I., S. I., and N. J.
<i>Alsine borealis</i> (Bigel.) Britton.	Northern N. J. and Pa.
<i>Alsine pubera</i> (Michx.) Britton.	N. J., and Pa. north of Bucks Co.
<i>Cerastium semidecandrum</i> L.	N. J., north of Atlantic Co.
<i>Moenchia erecta</i> (L.) Gaert.	Anywhere in the range.
<i>Lychnis coronaria</i> (L.) Desr.	L. I., Conn., and southern N. Y.
<i>Silene virginica</i> L.	N. Y. and Pa.
<i>Silene alba</i> Muhl.	N. J.
<i>Silene antirrhina</i> L.	N. Y., north of Westchester Co.
<i>Silene dichotoma</i> Ehrh.	Anywhere in the range.
<i>Tunica Saxifraga</i> (L.) Scop.	On L. I. or elsewhere.
<i>Dianthus deltoides</i> L.	Greene and Ulster Cos., N. Y., and Monroe Co., Pa.

## NYMPHAEACEAE

<i>Species</i>	<i>Specimens wanted from</i>
<i>Castalia tuberosa</i> (Paine) Greene.	Anywhere in the range.
<i>Nymphaea Kalmiana</i> (Michx.) Sims.	Northern N. Y.
<i>Nymphaea advena variegata</i> (Engelm.) Fernald.	Northern N. Y., N. J., and Pa.
<i>Nymphaea hybrida</i> Peck.	Northern N. J. and Pa.
<i>Nelumbo lutea</i> (Willd.) Pers.	N. Y. and Pa.

## MAGNOLIACEAE

<i>Magnolia virginiana</i> L.	Long Island.
<i>Magnolia acuminata</i> L.	Anywhere in the range.
<i>Magnolia tripetala</i> L.	Anywhere in the range.

## ANONACEAE

<i>Asimina triloba</i> (L.) Durand.	N. Y. and N. J.
-------------------------------------	-----------------

## RANUNCULACEAE

<i>Aconitum noveboracense</i> A. Gray.	Orange, Greene, and Delaware Cos., N. Y.
<i>Actaea rubra</i> (Ait.) Willd.	N. J. and Pa.
<i>Anemone riparia</i> Fernald.	N. J.
<i>Caltha radicans</i> Forst.	Stations not in Britton's Manual.
<i>Clematis ochroleuca</i> Ait.	N. J.
<i>Clematis Viorna</i> L.	Southern Pa. and (?) N. J.
<i>Coptis trifolia</i> (L.) Salisb.	Below 500 ft. elevation anywhere.
<i>Hepatica acuta</i> (Pursh) Britton.	N. J. and Pa.
<i>Hydrastis canadensis</i> L.	Anywhere in the range.
<i>Ranunculus pusillus</i> Poir.	Pa.
<i>Ranunculus alleghaniensis</i> Britt.	Northern N. Y., N. J., and Pa.
<i>Ranunculus pennsylvanicus</i> L.	N. J. and Pa.
<i>Batrachium trichophyllum</i> (Chaix) F. Schultz.	Anywhere in the range.
<i>Trollius laxus</i> Salisb.	N. Y.
<i>Xanthorrhiza apiifolia</i> L'Hér.	Anywhere in the range.

<i>Species</i>	<i>Specimens wanted from</i>
<i>Isopyrum biternatum</i> (Raf.) T. & G.	Anywhere in the range.

## BERBERIDACEAE

<i>Podophyllum peltatum</i> L.	Northern N. J.
<i>Jeffersonia diphylla</i> (L.) Pers.	Anywhere in the range.

## PAPAVERACEAE

<i>Sanguinaria canadensis</i> L.	N. J., south of Middlesex and Mercer Cos.
----------------------------------	--

## FUMARIACEAE

<i>Bicuculla canadensis</i> (Goldie) Millsp.	Northern N. J. and Pa.
<i>Capnoides flavulum</i> (Raf.) Kuntze.	Middle counties of N. J.
<i>Capnoides aureum</i> (Willd.) Kuntze.	Anywhere in the range.

NEW YORK BOTANICAL GARDEN.